ELSEVIER

Analytica Chimica Acta 431 (2001) 321–323

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Abbas, M.N.
—, Moustafa, G.A. and Gopel, W.
Multicomponent analysis of some environmentally important gases using semiconductor tin oxide sensors 181
Abrajano, T., see Diegor, W. 195

Baumbach, J.I., see Sielemann, St. 293
Berntsson, O.
—, Danielsson, L.-G. and Folestad, S.
Characterization of diffuse reflectance fiber probe sampling on moving solids using a Fourier transform near-infrared spectrometer 125
Bertran, E.
—, Iturriaga, H., Maspoch, S. and Montoliu, I.
Effect of orthogonal signal correction on the determination of compounds with very similar near infrared spectra 303
Blanco, M.
—, Coello, J., Iturriaga, H., Maspoch, S. and Porcel, M.
Use of circular dichroism and artificial neural networks for the kinetic-spectrophotometric resolution of enantiomers 115

Calzado, J.A.
—, Palet, C. and Valiente, M.
Facilitated transport and separation of aromatic amino acids through activated composite membranes 59
Cha, G.S., see Choi, S.H. 261
Chen, G., see Zhang, L. 287
Choi, S.H.
—, Ha, J., Shin, J.H., Choi, Y.S., Han, S.H., Nam, H. and Cha, G.S.
Planar amperometric oxygen sensor with improved preconditioning property 261
Choi, Y.S., see Choi, S.H. 261
Chu, Y., see Lin, X. 41
Ciglenečki, I., see Krznarić, D. 269
Coello, J., see Blanco, M. 115
Ćosović, B., see Krznarić, D. 269
Costa-Fernández, J.M., see Jin, W.J. 1
Cowell, D.C., see Honeychurch, K.C. 89

Danielsson, L.-G., see Berntsson, O. 125
Dasgupta, P.K., see Milani, M.R. 169
del Olmo, M., see Vílchez, J.L. 31
Deng, P.-H., see Li, J.-N. 81
Diegor, W.
—, Longerich, H., Abrajano, T. and Horn, I.
Applicability of a high pressure digestion technique to the analysis of sediment and soil samples by inductively coupled plasma-mass spectrometry 195

Falqué López, E., see Pérez Cid, B. 209
Fang, Y., see Zhang, L. 287
Fernández Alborés, A., see Pérez Cid, B. 209
Fernández Gómez, E., see Pérez Cid, B. 209
Fernández-Fernández, E., see Moreda-Piñeiro, J. 157
Folestad, S., see Berntsson, O. 125
Frank, M.
—, Ulmer, H., Ruiz, J., Visani, P. and Weimar, U.
Complementary analytical measurements based upon gas chromatography-mass spectrometry, sensor system and human sensory panel: a case study dealing with packaging materials 11

González-Casado, A., see Vílchez, J.L. 31
Gopel, W., see Abbas, M.N. 181
Gormally, C., see O'Connell, P.J. 239
Guilbault, G.G., see O'Connell, P.J. 239

Ha, J., see Choi, S.H. 261
Han, S.H., see Choi, S.H. 261
Han, T.-S.
—, Kim, Y.-C., Sasaki, S., Yano, K., Ikebukuro, K., Kitayama, A., Nagamune, T. and Karube, I.
Microbial sensor for trichloroethylene determination 225
Hart, J.P., see Honeychurch, K.C. 89
Hernández-Cassou, S., see Sentellas, S. 49
Hirakawa, T., see Suzuki, H. 249
Honeychurch, K.C.
—, Hart, J.P. and Cowell, D.C.
Voltammetric studies of lead at a 1-(2-pyridylazo)-2-naphthol modified screen-printed carbon electrode and its trace determination in water by stripping voltammetry 89
Hontoria, E., see Vílchez, J.L. 31
Hori, T., see Sugiyama, M. 141
Horn, I., see Diegor, W. 195
Hu, Q., see Zhang, L. 287

Ikebukuro, K., see Han, T.-S. 225
Iturriaga, H., see Bertran, E. 303
Iturriaga, H., see Blanco, M. 115

PII: S0003-2670(01)00831-5

Jakusch, M., see Vogt, F. 167
Janowicz, K., see Kurzawa, J. 149
Jiang, W., see Lin, X. 41
Jin, W.J.
—, Costa-Fernández, J.M. and Sanz-Medel, A.
Room temperature phosphorescence pH optosensor based on energy transfer 1

Karube, I., see Han, T.-S. 225
Kawde, A.-N., see Wang, J. 219
Kihara, S., see Takeishi, H. 69
Kikuchi, Y., see Suzuki, H. 249
Kim, Y.-C., see Han, T.-S. 225
Kimura, T., see Takeishi, H. 69
Kitatsuji, Y., see Takeishi, H. 69
Kitayama, A., see Han, T.-S. 225
Kokot, S., see Ni, Y. 101
Kolar, J.
—, Strlič, M. and Pihlar, B.
New colourimetric method for determination of hydroxyl radicals during ageing of cellulose 313
Krznarić, D.
—, Ciglenečki, I. and Ćosović, B.
Voltammetric investigations of 2-dimethylarsinyl-ethanol sulphide in NaCl and seawater 269
Kurzawa, J.
—, Janowicz, K. and Suszka, A.
Stopped-flow kinetic determination of thiocyanates and thiosulphates with the application of iodine-azide reaction 149

Li, G., see Lin, X. 41
Li, J.-N.
—, Zhang, J., Deng, P.-H. and Peng, Y.-Q.
Adsorption voltammetry of the mix-polynuclear complex of zirconium–calcium–alizarin red S at a carbon paste electrode 81
Li, K.A., see Zhang, S.Z. 133
Lin, X.
—, Li, G., Jiang, W., Chu, Y., Wu, P. and Yafeng, G.
Chiral separation of lobeline and benzhexol by capillary electrophoresis using the reaction mixture of β-cyclodextrin, phosphorous-pentoxide and L-glutamic acid as chiral selector 41
Longerich, H., see Diegor, W. 195
López-Mahía, P., see Moreda-Piñeiro, J. 157

Marty, J.-L., see Montesinos, T. 231
Maspoch, S., see Bertran, E. 303
Maspoch, S., see Blanco, M. 115
Meguro, Y., see Takeishi, H. 69
Milani, M.R.
— and Dasgupta, P.K.
Measurement of nitrogen dioxide and nitrous acid using gas-permeable liquid core waveguides 169
Mizaikoff, B., see Vogt, F. 167
Montesinos, T.
—, Pérez-Munguia, S., Valdez, F. and Marty, J.-L.
Disposable cholinesterase biosensor for the detection of pesticides in water-miscible organic solvents 231
Montoliu, I., see Bertran, E. 303
Moreda-Piñeiro, J.
—, Moscoso-Pérez, C., López-Mahía, P., Muniategui-Lorenzo, S., Fernández-Fernández, E. and Prada-Rodríguez, D.
Comparative study of different permanently-treated graphite tubes for the determination of As, Sb, and Se in natural waters by hydride generation-electrothermal atomic absorption spectroscopy 157
Moscoso-Pérez, C., see Moreda-Piñeiro, J. 157
Moustafa, G.A., see Abbas, M.N. 181
Muniategui-Lorenzo, S., see Moreda-Piñeiro, J. 157

Nagamune, T., see Han, T.-S. 225
Nam, H., see Choi, S.H. 261
Ni, Y.
—, Wang, L. and Kokot, S.
Simultaneous determination of nitrobenzene and nitro-substituted phenols by differential pulse voltammetry and chemometrics 101

O'Connell, P.J.
—, Gormally, C., Pravda, M. and Guilbault, G.G.
Development of an amperometric L-ascorbic acid (Vitamin C) sensor based on electropolymerised aniline for pharmaceutical and food analysis 239

Palet, C., see Calzado, J.A. 59
Peng, Y.-Q., see Li, J.-N. 81
Pérez Cid, B.
—, Fernández Alborés, A., Fernández Gómez, E. and Falqué López, E.
Use of microwave single extractions for metal fractionation in sewage sludge samples 209
Pérez-Munguia, S., see Montesinos, T. 231
Pihlar, B., see Kolar, J. 313
Pilzecker, P., see Sielemann, St. 293
Porcel, M., see Blanco, M. 115
Prada-Rodríguez, D., see Moreda-Piñeiro, J. 157
Pravda, M., see O'Connell, P.J. 239
Puignou, L., see Sentellas, S. 49

Ruiz, J., see Frank, M. 11

Sanz-Medel, A., see Jin, W.J. 1
Sasaki, S., see Han, T.-S. 225
Saurina, J., see Sentellas, S. 49
Schmidt, H., see Sielemann, St. 293
Sentellas, S.
—, Saurina, J., Hernández-Cassou, S., Teresa Galceran, M. and Puignou, L.
Resolution and quantification in poorly separated peaks from capillary zone electrophoresis using three-way data analysis methods 49
Shin, J.H., see Choi, S.H. 261
Sielemann, St.
—, Baumbach, J.I., Schmidt, H. and Pilzecker, P.
Detection of alcohols using UV-ion mobility spetrometers 293

Strlič, M., see Kolar, J. 313
Sugiyama, M.
—, Tamada, T. and Hori, T.
Liquid chromatography — catalytic analysis detection for highly sensitive and automated fractional determination of vanadium(IV) and -(V) 141
Suszka, A., see Kurzawa, J. 149
Suzuki, H.
—, Hirakawa, T., Watanabe, I. and Kikuchi, Y.
Determination of blood pO_2 using a micromachined Clark-type oxygen electrode 249

Tacke, M., see Vogt, F. 167
Takeishi, H.
—, Kitatsuji, Y., Kimura, T., Meguro, Y., Yoshida, Z. and Kihara, S.
Solvent extraction of uranium, neptunium, plutonium, americium, curium and californium ions by bis(1-phenyl-3-methyl-4-acylpyrazol-5-one) derivatives 69
Tamada, T., see Sugiyama, M. 141
Teresa Galceran, M., see Sentellas, S. 49
Tong, S.Y., see Zhang, S.Z. 133
Tsai, T.-H.
Effect of ivermectin on the disposition of amoxicillin in rat blood and brain using microdialysis sampling 279

Ulmer, H., see Frank, M. 11

Valdez, F., see Montesinos, T. 231
Valiente, M., see Calzado, J.A. 59
Visani, P., see Frank, M. 11
Vílchez, J.L.
—, Zafra, A., González-Casado, A., Hontoria, E. and del Olmo, M.
Determination of trace amounts of bisphenol F, bisphenol A and their diglycidyl ethers in wastewater by gas chromatography–mass spectrometry 31
Vogt, F.
—, Tacke, M., Jakusch, M. and Mizaikoff, B.
Erratum to "A UV spectroscopic method for monitoring aromatic hydrocarbons dissolved in water" [Analytica Chimica Acta 422 (2000) 187–198] 167

Wang, J.
— and Kawde, A.-N.
Pencil-based renewable biosensor for label-free electrochemical detection of DNA hybridization 219
Wang, L., see Ni, Y. 101
Watanabe, I., see Suzuki, H. 249
Weimar, U., see Frank, M. 11
Wu, P., see Lin, X. 41

Yafeng, G., see Lin, X. 41
Yano, K., see Han, T.-S. 225
Yoshida, Z., see Takeishi, H. 69

Zafra, A., see Vílchez, J.L. 31
Zhang, J., see Li, J.-N. 81
Zhang, L.
—, Chen, G., Hu, Q. and Fang, Y.
Separation and determination of levodopa and carbidopa in composite tablets by capillary zone electrophoresis with amperometric detection 287
Zhang, S.Z.
—, Zhao, F.L., Li, K.A. and Tong, S.Y.
Determination of glycogen by Rayleigh light scattering 133
Zhao, F.L., see Zhang, S.Z. 133